

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53989	((382/128,129,130,131,132,133,134,164,171,173,177,179,285) or (600/407,410,411,425,443) or (345/719,423,653,654) or (128/920)). CCLS. or ("378").CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/02/02 14:53
L2	15370	1 and (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:53
L3	872	2 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:53
L4	29	3 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:53

## EAST Search History

L5	3	4 and pointer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:54
L6	1	5 and pointer and attractor\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:54
L7	13441	pointer and attractor\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:55
L8	2	7 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:55
L9	22	attractor\$3 and((segment\$5) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:55

## EAST Search History

L10	14	9 and (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:56
L11	5	10 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:56
L12	1	11 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:56
L13	777	draw\$3 same attract\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:56
L14	18	13 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:57

## EAST Search History

L15	1	14 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:57
L16	33635	network near5 meshes and internal energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:57
L17	81	16 and deform\$4 near4 model\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:58
L18	3	17 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 14:58
L19	2	("6466813").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/02/02 14:59

## EAST Search History

L20	2	("6385332").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/02/02 14:59
L21	2	("6106466").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/02/02 15:00
L22	2	("5889524").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/02/02 15:00
L23	2	("5435310").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2009/02/02 15:01
L24	484	imag\$3 near4 segment\$5 and deform\$4 near4 model\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 15:02

## EAST Search History

L25	124	24 and (structure near4 interest\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 15:03
L26	6	25 and network near5 meshes	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2009/02/02 15:03
S1	102059	((382/128,129,130,131,132, 133,134,164,171,173,179) or (600/407,410,411,425, 443) or (345/719,423)). CCLS. or ("378") or ("128")).CLAS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2008/08/25 15:54
S4	3	S1 and pointer and attractor\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 15:56
S5	2	S1 and pointer same draw\$3 near5 attract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 15:58

## EAST Search History

S6	84	S1 and draw\$3 near5 attract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 15:59
S7	9	S6 and (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:00
S8	4	S7 and pointer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:00
S9	963	point\$3 same draw\$3 near5 attract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:02
S10	61	S9 and (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:02

## EAST Search History

S11	5	S10 and ((contour or boundary or edg\$3) near5 (image))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:03
S12	6	S10 and ((contour or boundary or edg\$3) near5 (structure or image))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:06
S13	1	S10 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:08
S14	186	((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:08
S15	123	S14 and (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:08



## EAST Search History

S16	71	S14 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:09
S17	1	S16 and point\$3 same draw\$3 near5 attract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:10
S18	4	S16 and point\$3 same attract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:10
S19	6	S16 and point\$3 and attract\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:10
S20	106	pointer and attractor\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:12

## EAST Search History

S21	32	S20 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:12
S22	1	S21 and ((contour or boundary or edg\$3) near5 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:13
S23	1	S21 and ((contour or boundary or edg\$3) and (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:13
S24	31	S21 and ((contour or boundary or edg\$3) and (structure))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:13
S25	2	S21 and ((contour or boundary or edg\$3) with (structure))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:13

## EAST Search History

S26	2	((attractors) near5 (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:15
S27	3	((attractors) with (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:22
S28	8	((attractors) same (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:24
S29	2	S28 and pointer\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:24
S30	2	("6985612").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2008/08/25 16:27

## EAST Search History

S31	1	S30 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:27
S32	1	S31 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:28
S33	1	S32 and structur\$3 near4 interest\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:29
S34	1	S33 and ((contour or boundary or edg\$3) same (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:29
S35	1	S33 and ((contour or boundary or edg\$3) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:29

## EAST Search History

S36	1	S35 and pointer and (computer or processor) and memory	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:31
S37	1	S36 and imag\$3 near5 segment\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:32
S38	1	S37 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:43
S39	1	S38 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (structur\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:45
S40	1	S38 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (structur\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:46

## EAST Search History

S41	1	S30 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (structur\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:50
S42	1	S30 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (structur\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:51
S43	1	attractors same ((segment\$5) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:58
S44	1	attractors and ((segment\$5) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:58
S45	1	attract\$3 same ((segment\$5) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:59

## EAST Search History

S46	20	attract\$3 and((segment\$5) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:59
S47	20	attract\$3 and ((segment\$5) near4 (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 16:59
S48	7	S47 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (structur\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:00
S49	7	S48 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:01
S50	11	S47 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:02

## EAST Search History

S51	1	((segment\$5 or divid\$3) near4 (structure near4 interest\$3)) and attractor\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:37
S52	23	((segment\$5 or divid\$3) near4 (structure near4 interest\$3)) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:38
S53	11	S52 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:38
S54	1	S53 and pointer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:39
S55	3	S52 and pointer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:40



## EAST Search History

S56	1	((segment\$5 or divid\$3) near4 (structure near4 interest\$3)) and draw\$3 near4 attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/25 17:41
S57	23	((segment\$5 or divid\$3) near4 (structure near4 interest\$3)) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:45
S58	1	S57 and attractors	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:45
S59	1	S57 and attractor	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:46
S60	37	((segment\$5 or divid\$3) with (structure near4 interest\$3)) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:49

## EAST Search History

S61	1	S60 and attractor	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:49
S62	92	((segment\$5 or divid\$3) same (structure near4 interest\$3)) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:50
S63	3	S62 and attractor	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:50
S64	106	pointer and attractors	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:55
S65	1	S64 and ((segment\$5 or divid\$3) and (structure near4 interest\$3)) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:55

## EAST Search History

S66	1	S64 and ((segment\$5 or divid\$3) and (structure near4 interest\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:55
S67	95	S64 and (segment\$5 or divid\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:55
S68	32	S67 and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:56
S69	1	S68 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:56
S70	30	S68 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) and (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:57

## EAST Search History

S71	29	S68 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) same (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:57
S72	29	S68 and ((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) with (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 09:57
S73	10	pointer same attractors	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:00
S74	32046	network near5 meshes and internal energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:01
S75	45	S74 and ((segment\$5 or divid\$3) and (structure near4 interest\$3)) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:02

## EAST Search History

S76	6	S75 and deform\$5 near4 model\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:02
S77	4	S75 and deform\$5 near4 model\$3 and optimization	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:05
S78	1414	structure near4 interest and ((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:08
S79	1	S78 and network near5 meshes and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:08
S80	1	deform\$5 near4 model\$3 and optimiz\$5 and network near5 meshes and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:09

## EAST Search History

S81	4	network near5 meshes and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:10
S82	4	deform\$5 near4 model\$3 and network near5 meshes and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:11
S83	949	((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (structure) with (segment\$5)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:17
S84	80	S83 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (structure) with (segment\$5)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:18
S85	1	S84 and pointer and attractors	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:18

## EAST Search History

S86	2	S84 and pointer and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:18
S87	8	S84 and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 10:19
S88	5	S87 and computer and memory	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 12:53
S89	5	S88 and (((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (structure) same (segment\$5)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 12:53
S90	5	S89 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (structure) same(segment\$5)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 12:54

## EAST Search History

S91	5	S89 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (structure) same (segment\$5)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 12:54
S92	4	S91 and ((structure) near4 (images ) same (segment\$5))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 12:55
S93	2	S92 and network and deform\$5 same model\$3 and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:01
S94	80	(((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images) near5 (structure) with (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:04
S95	38	S94 and (((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (images) near5 (structure) with (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:04



## EAST Search History

S96	4	S95 and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:05
S97	144	(((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (imag\$3) near5 (structure) same (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:10
S98	7	S97 and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:10
S99	7	S98 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (imag\$3) and(structure) and (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:13
S100	4	S99 and (computer or processor) and (memory or storage or database)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:27

## EAST Search History

S10 1	83	S64 and (segment\$5 or divid\$3) and (structure)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:36
S10 2	41	S101 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (images) and (structure) and (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 13:36
S10 3	12	(((attractors) near5 (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (images)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:09
S10 4	2	(((attractors) near5 (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near3 (images)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:09
S10 5	3	(((attractors) with (two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near3 (images)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:10

## EAST Search History

S10 6	105	((segment\$5 or divid\$3) near4 (structure) near3 (images))) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:47
S10 7	6	S106 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (images) near4 (structure) and (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:48
S10 8	5	S107 and (computer or processor) and (memory or storage or database)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:48
S10 9	4	S108 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:51
S11 0	4	S109 and (((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$5)))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:51

## EAST Search History

S11 1	4	S110 and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:52
S11 2	4	S108 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:53
S11 3	4	S112 and (((three-dimension\$3 or 3D or 3-D or three near4 dimension\$3) near4 (segment\$6))) and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 14:54
S11 4	28831	network\$3 near3 mesh\$3 and deform\$4 near4 model\$3 and internal energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:39
S11 5	134	S114 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:40

## EAST Search History

S11 6	73	S115 and optimiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:40
S11 7	11	S116 and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:41
S11 8	5	S117 and attract\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:43
S11 9	5	S118 and contour	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:44
S12 0	4	S119 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:44

## EAST Search History

S12 1	5	S119 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:45
S12 2	28831	network\$3 near3 mesh\$3 and deform\$4 near4 model\$3 and internal energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:52
S12 3	24	network\$3 near3 mesh\$3 and deform\$4 near4 model\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:52
S12 4	4	S123 and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:54
S12 5	54	network\$3 same mesh\$3 and deform\$4 near4 model\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:55

## EAST Search History

S12 6	6	S125 and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:55
S12 7	246	network\$3 and mesh\$3 and deform\$4 near4 model\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:56
S12 8	14	S127 and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:57
S12 9	4	S127 and internal near4 energy and external near4 energy and label\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 15:57
S13 0	34	network\$3 and deform\$4 near4 model\$3 and internal near4 energy and external near4 energy	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:01

## EAST Search History

S13 1	5	S130 and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:01
S13 2	3	S130 and label\$3 and voxel\$3 and optimiz\$5	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:06
S13 3	35	drawing near4 attractors	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:11
S13 4	1	S133 and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:11
S13 5	0	attrators and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:12



## EAST Search History

S13 6	5	attractors and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:12
S13 7	239	attract\$3 and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:12
S13 8	22	S137 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:13
S13 9	523	(((edg\$3 near4 structure) near4 (segment\$5))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:15
S14 0	1	S139 and attract\$3 and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:15

## EAST Search History

S14 1	746	(((((edg\$3 or boundary or contour) near4 (structure) near4 (segment\$5))))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:16
S14 2	6	S141 and attract\$3 and label\$3 and voxel\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:16
S14 3	42	attractor\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (imag\$3) same (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:23
S14 4	29	S143 and pointer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:23
S14 5	3	draw\$3 near4 attractor\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (imag\$3) and (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:27

## EAST Search History

S14 6	15	draw\$3 near4 attractor\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:27
S14 7	110	draw\$3 near4 attract\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:29
S14 8	11	S147 and pointer	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:30
S14 9	2	draw\$3 near4 attract\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) near4 (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:45
S15 0	12	draw\$3 near4 attract\$3 and (((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:45

## EAST Search History

S15 1	0	drawind near4 attract\$3 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:46
S15 2	3	drawing near4 attract\$3 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) same (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:46
S15 3	24	drawing near4 attract\$3 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:46
S15 4	2	("7079674").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2008/08/26 16:52
S15 5	1	S154 and attract\$3 and ((((two-dimension\$3 or 2D or 2-D or two near4 dimension\$3) and (segment\$6))))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 16:53

## EAST Search History

S15 6	2	("7158692").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2008/08/26 17:36
S15 7	1	S156 and CT	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2008/08/26 17:36